ELSEVIER

Brain Research 816 (1999) 662–665

BRAIN RESEARCH

Author Index

Abe, T., see Mori, T. (816) 350
Aguila, M.C. and Kuljis, R.O.
Degeneration of NO-synthesizing cerebrocortical neurons in transgenic mice expressing mutated superoxide dismutase is not due to elevated nitric oxide levels (816) 241
Aijón, J., see Jimeno, D. (816) 175
Akunuru, S., see Rizvi, T.A. (816) 111
Allard, M., see Lombard, M.-C. (816) 598
Almeida, A., Bolaños, J.P. and Medina, J.M.
Nitric oxide mediates glutamate-induced mitochondrial depolarization in rat cortical neurons (816) 580
Andersen, C., see Fritz, K.I. (816) 438
Anderson, R., see Royle, S.J. (816) 337
Arias, R.L., Tasse, J.R.P. and Bowlby, M.R.
Neuroprotective interaction effects of NMDA and AMPA receptor antagonists in an in vitro model of cerebral ischemia (816) 299
Armstead, W.M.
Hypotension dilates pial arteries by K_{ATP} and K_{ca} channel activation (816) 158
Asano, T., see Mori, T. (816) 350
Asche, K., see Woiciechowsky, C. (816) 563

Badovinac, V., see Trajković, V. (816) 92
Baethmann, A., see Schmid-Elsaesser, R. (816) 471
Balestrino, M., Rebaudo, R. and Lunardi, G.
Exogenous creatine delays anoxic depolarization and protects from hypoxic damage: dose–effect relationship (816) 124
Banik, N.L., see Ray, S.K. (816) 375
Barnes, J.C., see Royle, S.J. (816) 337
Becker, C.-M., see Charton, J.P. (816) 609
Beckmann, B., see Segond von Banchet, G. (816) 254
Belknap, J.K., see Kest, B. (816) 381
Ben-Shachar, D., Gazawi, H., Riboyad-Levin, J. and Klein, E.
Chronic repetitive transcranial magnetic stimulation alters β-adrenergic and 5-HT_2 receptor characteristics in rat brain (816) 78
Bengoa, F., see Kicliter, E. (816) 149
Bianchin, M.M., see Spanis, C.W. (816) 329
Bindu, P.N., see Laxmi, T.R. (816) 245
Blessing, W.W., Yu, Y.-H. and Nalivaiko, E.
Medullary projections of rabbit carotid sinus nerve (816) 405
Bolaños, J.P., see Almeida, A. (816) 580
Borsini, F., see Palego, L. (816) 165
Bosse, F., see Neumann-Haefelin, T. (816) 234
Bouvier, M., see Peña, J.L. (816) 463
Bowlby, M.R., see Arias, R.L. (816) 299
Bragg, D.C., Meeker, R.B., Duff, B.A., English, R.V. and Tompkins, M.B.
Neurotoxicity of FIV and FIV envelope protein in feline cortical cultures (816) 431
Brodsky, M., see Kest, B. (816) 381
Brownstone, R.M., see Jiang, Z. (816) 493
Bruehl, C. and Wadman, W.J.
Calcium currents in acutely isolated stellate and pyramidal neurons of rat entorhinal cortex (816) 554
Bu, Y., see Neary, J.T. (816) 358
Bult, A. and Smale, L.
Distribution of Ca^{2+}-dependent protein kinase C isoforms in the suprachiasmatic nucleus of the diurnal murid rodent, *Arvicanthis niloticus* (816) 190
Bures, J., see Koroleva, V.I. (816) 618
Burke, W.J., Li, S.W., Schmitt, C.A., Xia, P., Chung, H.D. and Gillespie, K.N.
Accumulation of 3,4-dihydroxyphenylglycolaldehyde, the neurotoxic monoamine oxidase A metabolite of norepinephrine, in locus ceruleus cell bodies in Alzheimer's disease: mechanism of neuron death (816) 633

Calton, J.L., Wilson, W.A. and Moore, S.D.
Reduction of voltage-dependent currents by ethanol contributes to inhibition of NMDA receptor-mediated excitatory synaptic transmission (816) 142
Canela, E.I., see Navarro, A. (816) 47
Carlin, K.P., see Jiang, Z. (816) 493
Cassano, G.B., see Palego, L. (816) 165
Charton, J.P., Herkert, M., Becker, C.-M. and Schröder, H.
Cellular and subcellular localization of the 2B-subunit of the NMDA receptor in the adult rat telencephalon (816) 609
Chen, J.-C., Li, J.-Y., Liang, K.-W. and Huang, Y.-K.
Neuropeptide FF potentiates the behavioral sensitization to amphetamine and alters the levels of neurotransmitters in the medial prefrontal cortex (816) 220
Chiappelli, F., see Hodgson, D.M. (816) 200
Cho, S.S., Lucas, J.J. and Hyndman, A.G.
Transferrin binding protein is expressed by oligodendrocytes in the avian retina (816) 229
Chodobski, A., Szmydynger-Chodobska, J. and Johanson, C.E.
Angiotensin II regulates choroid plexus blood flow by interacting with the sympathetic nervous system and nitric oxide (816) 518
Chung, H.D., see Burke, W.J. (816) 633
Clatworthy, A., see Liao, A. (816) 295
Collins, F.C., see Royle, S.J. (816) 337
Commons, K.G., Kow, L.-M., Milner, T.A. and Pfaff, D.W.
In the ventromedial nucleus of the rat hypothalamus, GABA-immunolabeled neurons are abundant and are innervated by both enkephalin- and GABA-immunolabeled axon terminals (816) 58

Daberkow, N., see Woiciechowsky, C. (816) 563
Daubert, D.L., Meadows, G.G., Wang, J.H., Sanchez, P.J. and Speth, R.C.
Changes in angiotensin II receptors in dopamine-rich regions of the mouse brain with age and ethanol consumption (816) 8
De Courten-Myers, G., see Rizvi, T.A. (816) 111
De Fiebre, C.M., see Li, Y. (816) 225
Delivoria-Papadopoulos, M., see Fritz, K.I. (816) 438
Doi, A., Kishimoto, K. and Ishibashi, H.
Modulation of glycine-induced currents by zinc and other metal cations in neurons acutely dissociated from the dorsal motor nucleus of the vagus of the rat (816) 424
Dube, M.G., Xu, B., Kalra, P.S., Sninsky, C.A. and Kalra, S.P.
Disruption in neuropeptide Y and leptin signaling in obese ventromedial hypothalamic-lesioned rats (816) 38
Duff, B.A., see Bragg, D.C. (816) 431
Duysens, J., see Schillings, A.M. (816) 480

Ehret, G., see Reetz, G. (816) 527
Emson, P.C., see Segond von Banchet, G. (816) 254
English, R.V., see Bragg, D.C. (816) 431

Frączek, M., see Janeczko, K. (816) 628
Franco, R., see Navarro, A. (816) 47

ELSEVIER

Brain Research 816 (1999) 662–665

BRAIN RESEARCH

Author Index

Abe, T., see Mori, T. (816) 350
Aguila, M.C. and Kuljis, R.O.
Degeneration of NO-synthesizing cerebrocortical neurons in transgenic mice expressing mutated superoxide dismutase is not due to elevated nitric oxide levels (816) 241
Aijón, J., see Jimeno, D. (816) 175
Akunuru, S., see Rizvi, T.A. (816) 111
Allard, M., see Lombard, M.-C. (816) 598
Almeida, A., Bolaños, J.P. and Medina, J.M.
Nitric oxide mediates glutamate-induced mitochondrial depolarization in rat cortical neurons (816) 580
Andersen, C., see Fritz, K.I. (816) 438
Anderson, R., see Royle, S.J. (816) 337
Arias, R.L., Tasse, J.R.P. and Bowlby, M.R.
Neuroprotective interaction effects of NMDA and AMPA receptor antagonists in an in vitro model of cerebral ischemia (816) 299
Armstead, W.M.
Hypotension dilates pial arteries by K_{ATP} and K_{ca} channel activation (816) 158
Asano, T., see Mori, T. (816) 350
Asche, K., see Woiciechowsky, C. (816) 563

Badovinac, V., see Trajković, V. (816) 92
Baethmann, A., see Schmid-Elsaesser, R. (816) 471
Balestrino, M., Rebaudo, R. and Lunardi, G.
Exogenous creatine delays anoxic depolarization and protects from hypoxic damage: dose–effect relationship (816) 124
Banik, N.L., see Ray, S.K. (816) 375
Barnes, J.C., see Royle, S.J. (816) 337
Becker, C.-M., see Charton, J.P. (816) 609
Beckmann, B., see Segond von Banchet, G. (816) 254
Belknap, J.K., see Kest, B. (816) 381
Ben-Shachar, D., Gazawi, H., Riboyad-Levin, J. and Klein, E.
Chronic repetitive transcranial magnetic stimulation alters β-adrenergic and 5-HT_2 receptor characteristics in rat brain (816) 78
Bengoa, F., see Kicliter, E. (816) 149
Bianchin, M.M., see Spanis, C.W. (816) 329
Bindu, P.N., see Laxmi, T.R. (816) 245
Blessing, W.W., Yu, Y.-H. and Nalivaiko, E.
Medullary projections of rabbit carotid sinus nerve (816) 405
Bolaños, J.P., see Almeida, A. (816) 580
Borsini, F., see Palego, L. (816) 165
Bosse, F., see Neumann-Haefelin, T. (816) 234
Bouvier, M., see Peña, J.L. (816) 463
Bowlby, M.R., see Arias, R.L. (816) 299
Bragg, D.C., Meeker, R.B., Duff, B.A., English, R.V. and Tompkins, M.B.
Neurotoxicity of FIV and FIV envelope protein in feline cortical cultures (816) 431
Brodsky, M., see Kest, B. (816) 381
Brownstone, R.M., see Jiang, Z. (816) 493
Bruehl, C. and Wadman, W.J.
Calcium currents in acutely isolated stellate and pyramidal neurons of rat entorhinal cortex (816) 554
Bu, Y., see Neary, J.T. (816) 358
Bult, A. and Smale, L.
Distribution of Ca^{2+}-dependent protein kinase C isoforms in the suprachiasmatic nucleus of the diurnal murid rodent, *Arvicanthis niloticus* (816) 190
Bures, J., see Koroleva, V.I. (816) 618
Burke, W.J., Li, S.W., Schmitt, C.A., Xia, P., Chung, H.D. and Gillespie, K.N.
Accumulation of 3,4-dihydroxyphenylglycolaldehyde, the neurotoxic monoamine oxidase A metabolite of norepinephrine, in locus ceruleus cell bodies in Alzheimer's disease: mechanism of neuron death (816) 633

Calton, J.L., Wilson, W.A. and Moore, S.D.
Reduction of voltage-dependent currents by ethanol contributes to inhibition of NMDA receptor-mediated excitatory synaptic transmission (816) 142
Canela, E.I., see Navarro, A. (816) 47
Carlin, K.P., see Jiang, Z. (816) 493
Cassano, G.B., see Palego, L. (816) 165
Charton, J.P., Herkert, M., Becker, C.-M. and Schröder, H.
Cellular and subcellular localization of the 2B-subunit of the NMDA receptor in the adult rat telencephalon (816) 609
Chen, J.-C., Li, J.-Y., Liang, K.-W. and Huang, Y.-K.
Neuropeptide FF potentiates the behavioral sensitization to amphetamine and alters the levels of neurotransmitters in the medial prefrontal cortex (816) 220
Chiappelli, F., see Hodgson, D.M. (816) 200
Cho, S.S., Lucas, J.J. and Hyndman, A.G.
Transferrin binding protein is expressed by oligodendrocytes in the avian retina (816) 229
Chodobski, A., Szmydynger-Chodobska, J. and Johanson, C.E.
Angiotensin II regulates choroid plexus blood flow by interacting with the sympathetic nervous system and nitric oxide (816) 518
Chung, H.D., see Burke, W.J. (816) 633
Clatworthy, A., see Liao, A. (816) 295
Collins, F.C., see Royle, S.J. (816) 337
Commons, K.G., Kow, L.-M., Milner, T.A. and Pfaff, D.W.
In the ventromedial nucleus of the rat hypothalamus, GABA-immunolabeled neurons are abundant and are innervated by both enkephalin- and GABA-immunolabeled axon terminals (816) 58

Daberkow, N., see Woiciechowsky, C. (816) 563
Daubert, D.L., Meadows, G.G., Wang, J.H., Sanchez, P.J. and Speth, R.C.
Changes in angiotensin II receptors in dopamine-rich regions of the mouse brain with age and ethanol consumption (816) 8
De Courten-Myers, G., see Rizvi, T.A. (816) 111
De Fiebre, C.M., see Li, Y. (816) 225
Delivoria-Papadopoulos, M., see Fritz, K.I. (816) 438
Doi, A., Kishimoto, K. and Ishibashi, H.
Modulation of glycine-induced currents by zinc and other metal cations in neurons acutely dissociated from the dorsal motor nucleus of the vagus of the rat (816) 424
Dube, M.G., Xu, B., Kalra, P.S., Sninsky, C.A. and Kalra, S.P.
Disruption in neuropeptide Y and leptin signaling in obese ventromedial hypothalamic-lesioned rats (816) 38
Duff, B.A., see Bragg, D.C. (816) 431
Duysens, J., see Schillings, A.M. (816) 480

Ehret, G., see Reetz, G. (816) 527
Emson, P.C., see Segond von Banchet, G. (816) 254
English, R.V., see Bragg, D.C. (816) 431

Frączek, M., see Janeczko, K. (816) 628
Franco, R., see Navarro, A. (816) 47

Fritz, K.I., Groenendaal, F., Andersen, C., Ohnishi, S.T., Mishra, O.P. and Delivoria-Papadopoulos, M.
Deleterious brain cell membrane effects after NMDA receptor antagonist administration to newborn piglets (816) 438
Fujise, N. and Kosaka, T.
Mossy cells in the mouse dentate gyrus: identification in the dorsal hilus and their distribution along the dorsoventral axis (816) 500

Garrard, L., see Morien, A. (816) 1
Gazawi, H., see Ben-Shachar, D. (816) 78
Gerhardt, G.A. and Maloney Jr., R.E.
Microdialysis studies of basal levels and stimulus-evoked overflow of dopamine and metabolites in the striatum of young and aged Fischer 344 rats (816) 68
Gerkema, M.P., see Van der Zee, E.A. (816) 572
Giannaccini, G., see Palego, L. (816) 165
Gillespie, K.N., see Burke, W.J. (816) 633
Giromella, A., see Palego, L. (816) 165
Gjerstad, J., see Svendsen, F. (816) 487
Gómez-Isla, T., see Liao, A. (816) 295
González, M., see Kicliter, E. (816) 149
Goucham, A.-Y. and Nicolaïdis, S.
Feeding enhances extracellular lactate of local origin in the rostromedial hypothalamus but not in the cerebellum (816) 84
Greenberg, H.E., Sica, A.L., Scharf, S.M. and Ruggiero, D.A.
Expression of c-*fos* in the rat brainstem after chronic intermittent hypoxia (816) 638
Greenberg, J.H., see Won Sohn, N. (816) 396
Grimes, J., see Li, Y. (816) 225
Groenendaal, F., see Fritz, K.I. (816) 438
Gruner, J.A. and Yee, A.K.
4-Aminopyridine enhances motor evoked potentials following graded spinal cord compression injury in rats (816) 446

Hájek, I., see Vondrašová-Jelínková, D. (816) 249
Hand, P.J., see Won Sohn, N. (816) 396
Hars, B.
Endogenous nitric oxide in the rat pons promotes sleep (816) 209
Hayakawa, T., Zheng, J.Q. and Seki, M.
Direct parabrachial nuclear projections to the pharyngeal motoneurons in the rat: an anterograde and retrograde double-labeling study (816) 364
Heeb, M.J., see Prieto, A.L. (816) 646
Heppelmann, B., see Segond von Banchet, G. (816) 254
Herkert, M., see Charton, J.P. (816) 609
Herrera, J.A., see Kicliter, E. (816) 149
Herrero, J.F., see Mazario, J. (816) 512
Hervieu, G.J., see Segond von Banchet, G. (816) 254
Hirohisa Ishimaru, see Ikarashi, Y. (816) 238
Hodgson, D.M., Yirmiya, R., Chiappelli, F. and Taylor, A.N.
Intracerebral interleukin-1β impairs response to tumor invasion: involvement of adrenal catecholamines (816) 200
Hogan, E.L., see Ray, S.K. (816) 375
Hole, K., see Svendsen, F. (816) 487
Huang, Y.-K., see Chen, J.-C. (816) 220
Hungerhuber, E., see Schmid-Elsaesser, R. (816) 471
Hyman, B.T., see Liao, A. (816) 295
Hyndman, A.G., see Cho, S.S. (816) 229

Iacovitti, L., Stull, N.D. and Mishizen, A.
Neurotransmitters, KCl and antioxidants rescue striatal neurons from apoptotic cell death in culture (816) 276
Ikarashi, Y., Yuzurihara, M., Takahashi, A., Hirohisa Ishimaru, Shiobara, T. and Maruyama, Y.
Modulation of acetylcholine release via $GABA_A$ and $GABA_B$ receptors in rat striatum (816) 238
Illnerová, H., see Vondrašová-Jelínková, D. (816) 249
Inturrisi, C.E., see Kest, B. (816) 381
Ishibashi, H., see Doi, A. (816) 424
Ishimura, K., see Morita, K. (816) 309
Izquierdo, I., see Spanis, C.W. (816) 329

Janeczko, K., Setkowicz, Z., Frączek, M. and Kochowska, J.
Effects of prenatal gamma-irradiation on postnatal astrogliogenesis in the hippocampal formation of rat (816) 628
Janković, V., see Trajković, V. (816) 92
Jansen, K., see Van der Zee, E.A. (816) 572
Jenab, S., see Kest, B. (816) 381
Jiang, Z., Carlin, K.P. and Brownstone, R.M.
An in vitro functionally mature mouse spinal cord preparation for the study of spinal motor networks (816) 493
Jimeno, D., Velasco, A., Lillo, C., Lara, J.M. and Aijón, J.
Response of microglial cells after a cryolesion in the peripheral proliferative retina of tench (816) 175
Johanson, C.E., see Chodobski, A. (816) 518

Kalra, P.S., see Dube, M.G. (816) 38
Kalra, S.P., see Dube, M.G. (816) 38
Kamiya, T., see Mori, T. (816) 350
Katayama, Y., see Mori, T. (816) 350
Kest, B., Jenab, S., Brodsky, M., Sadowski, B., Belknap, J.K., Mogil, J.S. and Inturrisi, C.E.
Mu and delta opioid receptor analgesia, binding density, and mRNA levels in mice selectively bred for high and low analgesia (816) 381
Kicliter, E., Bengoa, F., Herrera, J.A., González, M., Ortíz-Goveo, E., Rodríguez, V. and Lugo, N.
Two groups of TH-like immunoreactive neurons in the frog (*Rana pipiens*) retina (816) 149
King, M.A., see Li, Y. (816) 225
Kishimoto, K., see Doi, A. (816) 424
Klein, E., see Ben-Shachar, D. (816) 78
Kochowska, J., see Janeczko, K. (816) 628
Korolev, O.S., see Koroleva, V.I. (816) 618
Koroleva, V.I., Korolev, O.S., Mares, V., Pastalkova, E. and Bures, J.
Hippocampal damage induced by carbon monoxide poisoning and spreading depression is alleviated by chronic treatment with brain derived polypeptides (816) 618
Kosaka, T., see Fujise, N. (816) 500
Kow, L.-M., see Commons, K.G. (816) 58
Kuljis, R.O., see Aguila, M.C. (816) 241

Lai, C., see Prieto, A.L. (816) 646
Lanksch, W.R., see Woiciechowsky, C. (816) 563
Lara, J.M., see Jimeno, D. (816) 175
Laxmi, T.R., Bindu, P.N., Raju, T.R. and Meti, B.L.
Spatial memory impairment in ventral subicular lesioned rats (816) 245
Lechner, S.M. and Valentino, R.J.
Glucocorticoid receptor-immunoreactivity in corticotrophin-releasing factor afferents to the locus coeruleus (816) 17
Levin, E.G., see Santell, L. (816) 258
Li, J.-Y., see Chen, J.-C. (816) 220
Li, S.W., see Burke, W.J. (816) 633
Li, Y., King, M.A., Grimes, J., Smith, N., De Fiebre, C.M. and Meyer, E.M.
α7 Nicotinic receptor mediated protection against ethanol-induced cytotoxicity in PC12 cells (816) 225
Liang, K.-W., see Chen, J.-C. (816) 220
Liao, A., Gómez-Isla, T., Clatworthy, A. and Hyman, B.T.
Lack of association of presenilin-1 intron-8 polymorphism with neuropathological features of Alzheimer's disease (816) 295
Lillo, C., see Jimeno, D. (816) 175
Ljungberg, M.C., Stern, G. and Wilkin, G.P.
Survival of genetically engineered, adult-derived rat astrocytes grafted into the 6-hydroxydopamine lesioned adult rat striatum (816) 29
Lluis, C., see Navarro, A. (816) 47
Lombard, M.-C., Weil-Fugazza, J., Ries, C. and Allard, M.
Unilateral joint inflammation induces bilateral and time-dependent changes in neuropeptide FF binding in the superficial dorsal horn of the rat spinal cord: implication of supraspinal descending systems (816) 598
Lucacchini, A., see Palego, L. (816) 165
Lucas, J.J., see Cho, S.S. (816) 229
Lugo, N., see Kicliter, E. (816) 149
Lunardi, G., see Balestrino, M. (816) 124

Mallol, J., see Navarro, A. (816) 47
Maloney Jr., R.E., see Gerhardt, G.A. (816) 68
Marazziti, D., see Palego, L. (816) 165
Mares, V., see Koroleva, V.I. (816) 618
Marija Mostarica Stojković, see Trajković, V. (816) 92
Marotti, K.R., see Santell, L. (816) 258

Martínez, A.D. and Sáez, J.C.
Arachidonic acid-induced dye uncoupling in rat cortical astrocytes is mediated by arachidonic acid byproducts (816) 411
Maruyama, Y., see Ikarashi, Y. (816) 238
Matsui, T., see Mori, T. (816) 350
Matzelle, D.C., see Ray, S.K. (816) 375
Mazario, J., Roza, C. and Herrero, J.F.
The NSAID dexketoprofen trometamol is as potent as μ-opioids in the depression of wind-up and spinal cord nociceptive reflexes in normal rats (816) 512
Mazzoni, M.R., see Palego, L. (816) 165
McGaugh, J.L., see Spanis, C.W. (816) 329
Meadows, G.G., see Daubert, D.L. (816) 8
Medina, J.M., see Almeida, A. (816) 580
Meeker, R.B., see Bragg, D.C. (816) 431
Meti, B.L., see Laxmi, T.R. (816) 245
Meyer, E.M., see Li, Y. (816) 225
Milner, T.A., see Commons, K.G. (816) 58
Mishizen, A., see Iacovitti, L. (816) 276
Mishra, O.P., see Fritz, K.I. (816) 438
Mogil, J.S., see Kest, B. (816) 381
Moore, S.D., see Calton, J.L. (816) 142
Mori, T., Asano, T., Matsui, T., Muramatsu, H., Ueda, M., Kamiya, T., Katayama, Y. and Abe, T.
Intraluminal increase of superoxide anion following transient focal cerebral ischemia in rats (816) 350
Morien, A., Garrard, L. and Rowland, N.E.
Expression of Fos immunoreactivity in rat brain during dehydration: effect of duration and timing of water deprivation (816) 1
Morita, K., Ishimura, K., Tsuruo, Y. and Wong, D.L.
Dexamethasone enhances serum deprivation-induced necrotic death of rat C6 glioma cells through activation of glucocorticoid receptors (816) 309
Mulder, T.H., see Schillings, A.M. (816) 480
Müller, H.-W., see Neumann-Haefelin, T. (816) 234
Muramatsu, H., see Mori, T. (816) 350
Murata, S., see Suzuki, T. (816) 99

Naccarato, A.G., see Palego, L. (816) 165
Nagashima, K., see Suzuki, T. (816) 457
Nakazawa, A., see Suzuki, T. (816) 99
Nalivaiko, E., see Blessing, W.W. (816) 405
Nässel, D.R., see Persson, M.G.S. (816) 131
Navarro, A., Zapata, R., Canela, E.I., Mallol, J., Lluis, C. and Franco, R.
Epidermal growth factor (EGF)-induced up-regulation and agonist- and antagonist-induced desensitization and internalization of A_1 adenosine receptors in a pituitary-derived cell line (816) 47
Neary, J.T. and Bu, Y.
Hypericum LI 160 inhibits uptake of serotonin and norepinephrine in astrocytes (816) 358
Neumann-Haefelin, T., Bosse, F., Redecker, C., Müller, H.-W. and Witte, O.W.
Upregulation of $GABA_A$-receptor α1- and α2-subunit mRNAs following ischemic cortical lesions in rats (816) 234
Nicolaïdis, S., see Goucham, A.-Y. (816) 84
Nishihira, J., see Suzuki, T. (816) 457
Nordlund, M.L., see Rizvi, T.A. (816) 111
Nurse, C.A., see Zhong, H. (816) 544

Ogata, A., see Suzuki, T. (816) 457
Ohnishi, S.T., see Fritz, K.I. (816) 438
Ohtsuka, K., see Suzuki, T. (816) 99
Ortíz-Goveo, E., see Kicliter, E. (816) 149

Palego, L., Giromella, A., Marazziti, D., Borsini, F., Naccarato, A.G., Giannaccini, G., Lucacchini, A., Cassano, G.B. and Mazzoni, M.R.
Effects of postmortem delay on serotonin and (+)8-OH-DPAT-mediated inhibition of adenylyl cyclase activity in rat and human brain tissues (816) 165
Pastalkova, E., see Koroleva, V.I. (816) 618
Peña, J.L., Pérez-Perera, L., Bouvier, M. and Velluti, R.A.
Sleep and wakefulness modulation of the neuronal firing in the auditory cortex of the guinea pig (816) 463
Pérez-Perera, L., see Peña, J.L. (816) 463
Persson, M.G.S. and Nässel, D.R.
Neuropeptides in insect sensory neurones: tachykinin-, FMRFamide- and allatotropin-related peptides in terminals of locust thoracic sensory afferents (816) 131
Pfaff, D.W., see Commons, K.G. (816) 58
Potier, B. and Rovira, C.
Protein tyrosine kinase inhibitors reduce high-voltage activating calcium currents in CA1 pyramidal neurones from rat hippocampal slices (816) 587
Prieto, A.L., Weber, J.L., Tracy, S., Heeb, M.J. and Lai, C.
Gas6, a ligand for the receptor protein-tyrosine kinase Tyro-3, is widely expressed in the central nervous system (816) 646

Raju, T.R., see Laxmi, T.R. (816) 245
Ratner, N., see Rizvi, T.A. (816) 111
Ray, S.K., Shields, D.C., Saido, T.C., Matzelle, D.C., Wilford, G.G., Hogan, E.L. and Banik, N.L.
Calpain activity and translational expression increased in spinal cord injury (816) 375
Rebaudo, R., see Balestrino, M. (816) 124
Redecker, C., see Neumann-Haefelin, T. (816) 234
Reetz, G. and Ehret, G.
Inputs from three brainstem sources to identified neurons of the mouse inferior colliculus slice (816) 527
Reulen, H.-J., see Schmid-Elsaesser, R. (816) 471
Ribak, C.E., see Yan, X.-X. (816) 317
Riboyad-Levin, J., see Ben-Shachar, D. (816) 78
Ries, C., see Lombard, M.-C. (816) 598
Rizvi, T.A., Akunuru, S., De Courten-Myers, G., Switzer III, R.C., Nordlund, M.L. and Ratner, N.
Region-specific astrogliosis in brains of mice heterozygous for mutations in the neurofibromatosis type 1 (*Nf1*) tumor suppressor (816) 111
Rodríguez, V., see Kicliter, E. (816) 149
Rovira, C., see Potier, B. (816) 587
Rowland, N.E., see Morien, A. (816) 1
Royle, S.J., Collins, F.C., Rupniak, H.T., Barnes, J.C. and Anderson, R.
Behavioural analysis and susceptibility to CNS injury of four inbred strains of mice (816) 337
Roza, C., see Mazario, J. (816) 512
Ruggiero, D.A., see Greenberg, H.E. (816) 638
Rupniak, H.T., see Royle, S.J. (816) 337

Sadowski, B., see Kest, B. (816) 381
Sáez, J.C., see Martínez, A.D. (816) 411
Saido, T.C., see Ray, S.K. (816) 375
Sanchez, P.J., see Daubert, D.L. (816) 8
Santell, L., Marotti, K.R. and Levin, E.G.
Targeting of tissue plasminogen activator into the regulated secretory pathway of neuroendocrine cells (816) 258
Sasaki, K., see Yokoyama, C. (816) 267
Scharf, S.M., see Greenberg, H.E. (816) 638
Schillings, A.M., Van Wezel, B.M.H., Mulder, T.H. and Duysens, J.
Widespread short-latency stretch reflexes and their modulation during stumbling over obstacles (816) 480
Schindler, M., see Segond von Banchet, G. (816) 254
Schmid-Elsaesser, R., Hungerhuber, E., Zausinger, S., Baethmann, A. and Reulen, H.-J.
Neuroprotective efficacy of combination therapy with two different antioxidants in rats subjected to transient focal ischemia (816) 471
Schmitt, C.A., see Burke, W.J. (816) 633
Schöning, B., see Woiciechowsky, C. (816) 563
Schröder, H., see Charton, J.P. (816) 609
Segond von Banchet, G., Schindler, M., Hervieu, G.J., Beckmann, B., Emson, P.C. and Heppelmann, B.
Distribution of somatostatin receptor subtypes in rat lumbar spinal cord examined with gold-labelled somatostatin and anti-receptor antibodies (816) 254
Seki, M., see Hayakawa, T. (816) 364
Setkowicz, Z., see Janeczko, K. (816) 628
Shields, D.C., see Ray, S.K. (816) 375
Shiobara, T., see Ikarashi, Y. (816) 238
Sica, A.L., see Greenberg, H.E. (816) 638
Smale, L., see Bult, A. (816) 190
Smith, N., see Li, Y. (816) 225
Sninsky, C.A., see Dube, M.G. (816) 38
Spanis, C.W., Bianchin, M.M., Izquierdo, I. and McGaugh, J.L.
Excitotoxic basolateral amygdala lesions potentiate the memory impairment effect of muscimol injected into the medial septal area (816) 329
Speth, R.C., see Daubert, D.L. (816) 8
Stern, G., see Ljungberg, M.C. (816) 29
Stoltenburg, G., see Woiciechowsky, C. (816) 563
Stull, N.D., see Iacovitti, L. (816) 276

Suzuki, K., see Yamada, H. (816) 390
Suzuki, T., Ogata, A., Tashiro, K., Nagashima, K., Tamura, M. and Nishihira, J.
Augmented expression of macrophage migration inhibitory factor (MIF) in the telencephalon of the developing rat brain (816) 457
Suzuki, T., Usuda, N., Murata, S., Nakazawa, A., Ohtsuka, K. and Takagi, H.
Presence of molecular chaperones, heat shock cognate (Hsc) 70 and heat shock proteins (Hsp) 40, in the postsynaptic structures of rat brain (816) 99
Svendsen, F., Tjølsen, A., Gjerstad, J. and Hole, K.
Long term potentiation of single WDR neurons in spinalized rats (816) 487
Switzer III, R.C., see Rizvi, T.A. (816) 111
Szmydynger-Chodobska, J., see Chodobski, A. (816) 518

Takagi, H., see Suzuki, T. (816) 99
Takahashi, A., see Ikarashi, Y. (816) 238
Tamura, M., see Suzuki, T. (816) 457
Tashiro, K., see Suzuki, T. (816) 457
Tasse, J.R.P., see Arias, R.L. (816) 299
Taylor, A.N., see Hodgson, D.M. (816) 200
Tjølsen, A., see Svendsen, F. (816) 487
Tompkins, M.B., see Bragg, D.C. (816) 431
Tracy, S., see Prieto, A.L. (816) 646
Trajković, V., Badovinac, V., Janković, V. and Marija Mostarica Stojković,
Cyclosporin A inhibits activation of inducible nitric oxide synthase in C6 glioma cell line (816) 92
Tsuruo, Y., see Morita, K. (816) 309

Ueda, M., see Mori, T. (816) 350
Undie, A.S.
Relationship between dopamine agonist stimulation of inositol phosphate formation and cytidine diphosphate–diacylglycerol accumulation in brain slices (816) 286
Usuda, N., see Suzuki, T. (816) 99

Valentino, R.J., see Lechner, S.M. (816) 17
Van der Zee, E.A., Jansen, K. and Gerkema, M.P.
Severe loss of vasopressin-immunoreactive cells in the suprachiasmatic nucleus of aging voles coincides with reduced circadian organization of running wheel activity (816) 572
Van Wezel, B.M.H., see Schillings, A.M. (816) 480
Velasco, A., see Jimeno, D. (816) 175
Velluti, R.A., see Peña, J.L. (816) 463
Volk, H.-D., see Woiciechowsky, C. (816) 563
Vondrašová-Jelínková, D., Hájek, I. and Illnerová, H.
Adjustment of the human melatonin and cortisol rhythms to shortening of the natural summer photoperiod (816) 249

Wadman, W.J., see Bruehl, C. (816) 554
Wang, J.H., see Daubert, D.L. (816) 8
Weber, J.L., see Prieto, A.L. (816) 646
Weil-Fugazza, J., see Lombard, M.-C. (816) 598
Wilford, G.G., see Ray, S.K. (816) 375
Wilkin, G.P., see Ljungberg, M.C. (816) 29
Wilson, W.A., see Calton, J.L. (816) 142
Witte, O.W., see Neumann-Haefelin, T. (816) 234
Woiciechowsky, C., Schöning, B., Daberkow, N., Asche, K., Stoltenburg, G., Lanksch, W.R. and Volk, H.-D.
Brain-IL-1β induces local inflammation but systemic anti-inflammatory response through stimulation of both hypothalamic–pituitary–adrenal axis and sympathetic nervous system (816) 563
Wong, D.L., see Morita, K. (816) 309
Won Sohn, N., Greenberg, J.H. and Hand, P.J.
Chronic inhibition of NOS does not prevent plasticity of rat somatosensory (S1) cortex following deafferentation (816) 396

Xia, P., see Burke, W.J. (816) 633
Xu, B., see Dube, M.G. (816) 38

Yamada, H. and Suzuki, K.
Responses to cyclic AMP is impaired in the twitcher Schwann cells in vitro (816) 390
Yan, X.-X. and Ribak, C.E.
Alteration of GABA transporter expression in the rat cerebral cortex following needle puncture and colchicine injection (816) 317
Yee, A.K., see Gruner, J.A. (816) 446
Yirmiya, R., see Hodgson, D.M. (816) 200
Yokoyama, C. and Sasaki, K.
Regional expressions of Fos-like immunoreactivity in rat cerebral cortex after stress; restraint and intraperitoneal lipopolysaccharide (816) 267
Yu, Y.-H., see Blessing, W.W. (816) 405
Yuzurihara, M., see Ikarashi, Y. (816) 238

Zapata, R., see Navarro, A. (816) 47
Zausinger, S., see Schmid-Elsaesser, R. (816) 471
Zhang, M., see Zhong, H. (816) 544
Zheng, J.Q., see Hayakawa, T. (816) 364
Zhong, H., Zhang, M. and Nurse, C.A.
Electrophysiological characterization of 5-HT receptors on rat petrosal neurons in dissociated cell culture (816) 544